


SYSTEM FOR PANEL CURTAINS

UNIVERSAL
ALUMINIUM PANELS
AND PLASTIC PANELS
WITH ACCESSORIES



panels
made of alu or plastic page 4


accessories for rails page 6

NEW accessories for object rails,
surface mounted rails and
flush mounted rails page 11

accessories for bay windows
and sidewise arch page 12


accessories for
curtain rails 16 mm page 13

weight profiles page 14



→ DIY packages
panels complete with accesories
are available on request.

system for panel curtains
aluminium and plastic panels





article	article-no. description		dispatch unit
	<p>20PA 600 aluminium panels length 600 cm</p> <p>available in white and alu-grey</p> <p>with a glued on hook tape → Recommendation: velcro® 20 x 600 mm</p>	<p><i>1.00 white</i> <i>70.31 alu-grey</i></p>	<p>60 m in a bundle (10 pieces)</p>
	<p>20PP 600 plastic panels length 600 cm</p> <p>available in white</p> <p>with a glued on mushroom tape → Recommendation: velour 20 x 600 mm</p>	<p><i>1.00 white</i></p>	<p>60 m in a bundle (10 pieces)</p>

Fixed lengths are available on request.





The accessories are useable for plastic rails with 4 mm inner run and for alu rails and alu rods with inner run of 6 mm width.

example




To fix the locking bolt please screw it simply to 90° e.g. with a screwdriver.

With connector any length can be inserted in the notch, if there is no space laterally.




art.-no. 20PA-GV
connector








To fix the locking bolt please screw it simply to 90° e.g. with a screwdriver.

article	art.-no. description		dispatch unit
	<p>20 PA-GP glider for alu- and plastic panels useable for 4 mm and 6 mm runs</p> <p>- with locking bolt -</p> 	<p>1.00 white 70.31 grey</p>	<p>10 pieces in a bag - 100 pieces in a box</p>
	<p>20 PA-M attachment for alu- and plastic panels</p> <p>- with locking bolt -</p>	<p>1.00 white 70.31 grey</p>	<p>10 pieces in a bag - 100 pieces in a box</p>
	<p>20 PA-EK caps for alu- and plastic panels, left and right</p> <p>- with locking bolt -</p>	<p>1.00 white 70.31 grey</p>	<p>10 pairs in a bag - 100 pairs in a box</p>
	<p>20 PA-SO caps for alu- and plastic panels, left and right, with eyes for flinging rods</p> <p>- with locking bolt -</p>	<p>1.00 white 70.31 grey</p>	<p>10 pairs in a bag - 100 pairs in a box</p>
	<p>20 PA-GO caps for alu- and plastic panels, left and right, with glider, with eyes for flinging rods useable for 4 mm and 6 mm runs</p> <p>- with locking bolt -</p> 	<p>1.00 white 70.31 grey</p>	<p>10 pairs in a bag - 100 pairs in a box</p>


article	art.-no. description		dispatch unit
	 <p>20 PA-GV moveable connector with glider for alu- and plastic panels useable for 4 mm and 6 mm runs - with locking bolt -</p>	<p>1.00 white 70.31 grey</p>	<p>10 pieces in a bag - 100 pieces in a box</p>
	 <p>20 PK caps for alu panels, left and right</p>	<p>1.00 white</p>	<p>10 pairs in a bag - 100 pairs in a box</p>
	<p>20 PK-PL caps for plastic panels, left and right</p>	<p>1.00 white</p>	<p>10 pairs in a bag - 100 pairs in a box</p>
	<p>115 - 4 flat stopper for runs 4 mm</p>		<p>100 pieces in a bag - 2500 pieces in a box</p>
	<p>115 - 6 flat stopper for runs 6 mm</p>		<p>100 pieces in a bag - 2500 pieces in a box</p>

article	art.-no. description		dispatch unit
	<p>20 PA GE panel carrier to turn in, white, for alu- and plastic panels <i>Useable for 4 mm - runs and for 6 mm - runs with a space of 10 mm width at least.</i> <i>- with fixing lever -</i></p>		<p>10 pieces in a bag - 100 pieces in a box</p>
	<p>20 PA R4 panel carrier with role, white, for alu- and plastic panels <i>Useable for 4 mm - runs with a space of 10 mm width at least.</i> <i>Suitable for sm-plus rails.</i> <i>- with fixing lever -</i></p>		<p>10 pieces in a bag - 100 pieces in a box</p>
	<p>20 PA I 4 sliding carriage for alu- and plastic panels, with glider, white, <i>Useable for 4 mm - runs with a space of 10 mm width at least.</i> <i>Suitable for sm-plus rails.</i> <i>- with fixing lever -</i></p>		<p>10 pieces in a bag - 100 pieces in a box</p>
	<p>20 PA R6 panel carrier with role, white, for alu- and plastic panels <i>Useable for 6 mm - runs with a space of 10 mm width at least.</i> <i>- with fixing lever -</i></p>		<p>10 pieces in a bag - 100 pieces in a box</p>
	<p>20 PA X 6 panel carrier, white, for alu- and plastic panels, with X-glider, <i>useable for 6 mm runs</i> <i>- with fixing lever -</i></p>		<p>10 pieces in a bag - 100 pieces in a box</p>



mounting example
sliding carriage to turn in
art.-no. 20PAGE



mounting example
sliding carriage with x-glider
art.-no 20PAX6




Screw the locking bolt to 90° e.g. with a screw driver.



To fix the carrier please turn the lever simply to the left or to the right !

system for panel curtains

accessories for object rails,
surface mounted rails and
flush mounted rails




article	art.-no. description		dispatch unit
 	<p>20 PA I8 panel - X - glider (unmounted) white with mounting lever</p> <p>for object rails, surface mounted rails and flush mounted rails with 8 mm inner run width</p> <p>useable for alu panels and plastic panels</p> 		<p>10 pieces in a bag - 100 pieces in a box</p>
 	<p>20 PA X8 panel - X - glider reinforced (unmounted) white with mounting lever</p> <p>for object rails, surface mounted rails and flush mounted rails with 8 mm inner run width</p> <p>useable for alu panels and plastic panels</p> 		<p>10 pieces in a bag - 100 pieces in a box</p>
	<p>823 stopper (delivery unmounted)</p>		<p>100 pieces in a bag - 2500 pieces in a box</p>
	<p>105 stopper</p>		<p>100 pieces in a bag - 2500 pieces in a box</p>

system for panel curtains

solution for bay windows and
sidewise arch



article	art.-no. description		dispatch unit
	20 PA-GV moveable connector with glider for alu- and plastic panels useable for 4 mm and 6 mm runs - with locking bolt -	1.00 white 70.31 grey	10 pieces in a bag - 100 pieces in a box
	20 PA-GO caps for alu- and plastic panels left and right with glider, with eyes for a flinging rod useable for 4 mm and 6 mm runs - with locking bolt -	1.00 white 70.31 grey	10 pairs in a bag - 100 pairs in a box



Example:


panels á 4,5 cm length	total length
2 pieces	10,5 cm
3 pieces	16,0 cm
4 pieces	21,5 cm
5 pieces	27,0 cm
6 pieces	32,5 cm

panels á 4,5 cm length	total length
7 pieces	38,0 cm
8 pieces	43,5 cm
9 pieces	49,0 cm
10 pieces	54,5 cm
11 pieces	60,0 cm

system for panel curtains

accessories

for curtain rods \varnothing 16 mm



Available colors **rings:**

Colored:

-  1.00 white
-  2.00 black

Metallized:




-  17.16 chrome matt
-  19.16 brass matt
-  17.18 stainless steel

color variation in the printing are possible

article	art.-no. description		dispatch unit
	325 rings \varnothing 25 x 32 mm for rods \varnothing 16 mm ring-notch: 4 mm		10 pieces in a bag - 100 pieces in a box
	20 PA G 4 sliding carriage for alu- and plastic panels with clip-eye for rings with 4 mm - notch - with fixing lever -		10 pieces in a bag - 100 pieces in a box

system for panel curtains

weight profiles

article	art.-no. description		dispatch unit
	07.25-3 600 1.00 aluminium-weight-profile, flat 25 x 3 mm, white length: 6 m weight per 1 m: 200 g		30 m in a bundle (5 pieces)
	07.25-3 600 0.00 plastic-weight-profile, flat 25 x 3 mm, transparent length: 6 m weight per 1 m: 85 g		60 m in a bundle (10 pieces)
	07.25-K3 0.00 cap, transparent, for alu-weight-profile 25 x 3 mm and for plastic-weight-profile 25 x 3 mm		10 pieces in a bag - 100 pieces in a box
	07.20-3 600 1.00 aluminium-weight-profile, flat 20 x 3 mm, white length: 6 m weight per 1 m: 160 g		30 m in a bundle (5 pieces)
	07.20-K3 1.00 cap, white, for alu-weight-profile 20 x 3 mm		10 pieces in a bag - 100 pieces in a box

system for panel curtains

weight profiles



Available colors alu rod with slot and cap:

1.10 white lacquered

17.16 chrome matt
17.18 stainless steel

19.16 brass matt
19.18 brass antique

article	art.-no. description		dispatch unit
	07.16 AL 600 alu rod Ø 16 mm with inboard slot length: 6 m		30 m in a bundle (5 pieces)
	79.16-7 cap for the alu rod Ø 16 mm		2 pieces in a bag 20 pieces in a box
	07.04 300 profile round Ø 4 mm, transparent length: 3 m		30 m in a bundle (10 pieces)
	07.04 KP clamp for the round-profile		10 pieces in a bag 100 pieces in a box



weight bar in rail profile
with round profile

Just fold the curtain end around the round profile no. 07.04, fix it with clamps and insert the curtain into the open run of the rod.

